CALNEV PIPE LINE, L.L.C.

Pre Delivery Form

PRE-DELIVERY INFORMATION REQUIRED ON ALL NON-CALNEV OPERATED TANKS

INFORMATION SUBMITTED BY CALNEV TO SHIPPER REPRESENTATIVE (herein called "DT")						
1. DT		2. Time	_ 2. Time		3. Date	
4. CALNEV Representative 5. DT Representative						
6. Net Barrels to be Delivered		_ 7. Batch	7. Batch		8. Product	
9. Estimated Starting Time & Date_		CALNEV Representative Signature				
				CAL	NEV Representative Signature	
This form must be completed and su separate form must be completed for	bmitted to \overline{CAI}	LNEV no later		OVIDED BY D'rs prior to sched		
receive the next pipeline batch as in prior to the scheduled batch arrival.	dicated above. The state of the distance of th	Tank valves to on of receipt in ompleted. If the	receive upconto the tank, the CALNEV	oming batch will the valves are to Operator is requi	broduct from the pipeline and tanks to be opened a maximum of two (2) hours be closed as soon as possible, but no ired to make manifold switches during below.	
 11. Tanks to Receive Delivery 12. Tank Valve(s) Opened: Time Date: 14. Space Available in Tanks 	a	b	c	d	CALNEV WILL NOT BE RESPONSIBLE FOR ANY DT SWITCHES OR COUNTDOWNS. 13. Int	
16. Barrels to be Delivered					17. Total	
18. Tank(s) Listed Will Hold NET Barrels to be Delivered by CALNEV Yes No						
19. DT Representative needs to be present to make Manifold Switches					Yes No	
20. Special Instructions						
I understand the above "Note to DT"	' and that only	authorized tan	ık valves are o	onen and all info	ormation posted in spaces	
above is accurate.	and that Only	astrorized tall	in varios are (zpon, und un illi	Annaton posted in spaces	
21 DT Representative Signature						

All spaces above to be filled in by DT Representative no later than one-and-a-half (1 $\frac{1}{2}$) hours prior to schedule time of batch arrival. All time is Pacific time zone using a 24-hour clock.

Dated: November 2011

CALNEV PIPE LINE, L.L.C.

Pre Delivery Form

Instructions and Definitions

The Pre-Delivery Form will be submitted by Carrier's local terminal or Orange Control Center to the receiving entity (herein called "DT"), and returned completed by the DT no later than 1½ hours prior to the scheduled delivery.

The Pre-Delivery Form is to be submitted by the receiving entity, no later than 1½ hours prior to the scheduled delivery.

For deliveries to the following locations, this form will be submitted to:

- Las Vegas for Las Vegas, Rebel Oil and PRO Petroleum deliveries
- Barstow for Barstow and SCLA deliveries
- Orange Control Center for McCarran Int. Airport, SCLA, BNSF and Yermo deliveries.

INFORMATION SUBMITTED BY CALNEV PERSONNEL TO SHIPPER REPRESENTATIVE

- 1. <u>DT</u>. The entity to whom the delivery is being made (herein called "DT"). This is not always the shipper of record.
- 2. Time. The time of day the Pre-Delivery form is completed by the CALNEV representative.
- 3. <u>Date</u>. The date the Pre-Delivery form is completed by the CALNEV representative.
- 4. <u>CALNEV Representative</u>. The name of the person completing Items 1-10 of the Pre Delivery Form.
- 5. <u>DT Representative</u>. The name of the person at DT facility intended to complete Items 11-21 of the Pre Delivery Form.
- 6. Net Barrels to be Delivered. The Net Barrels that are "scheduled" for delivery.
- 7. Batch. The CALNEV name for the batch being delivered.
- 8. <u>Product</u>. This can be simply the E3 designation or the common term used to describe the product; i.e. unleaded, premium, diesel, etc.
- 9. <u>Estimated Start Time & Date</u>. The estimated delivery time is the most accurate, calculated under current operating conditions.
- 10. CALNEV Representative Signature. Signature of the person completing Items 1-10.

Dated: November 2011

CALNEV PIPE LINE, L.L.C.

Pre Delivery Form

INFORMATION TO BE PROVIDED BY THE DT

- 11. <u>Tanks to Receive Delivery</u>. Identifies the tank(s) that will receive the delivery. The common terminal reference is sufficient.
- 12. <u>Tank Valve(s) Opened: Time / Date</u>. Signifies the time and date each of the DT's tank valves (for tanks shown in Item 11) were opened and lined for delivery.
- 13. This box must be initialed by the DT representative. This is an acknowledgement that CALNEV is not responsible for any barrel countdowns or DT switches.
- 14. <u>Space Available in Tanks</u>. Indicate the net barrel space available for each tank shown in Item 11.
- 15. <u>Total</u>. Sum Item 14 columns a thru d to determine the total net barrel space available in **all** tanks shown in Item 11. This is always equal to or greater than the batch volume to be delivered.
- 16. <u>Barrels to be Delivered</u>. The net barrels that the DT intends to deliver into each tank shown in Item 11.
- 17. <u>Total</u>. Sum Item 16 columns a thru d to calculate the total net barrels that will be delivered into the tank(s) shown in Item 11. Item 17 Total should always equal the net barrels to be delivered value shown in Item 6. If not, CALNEV cuts the batch volume and the Pre Delivery Form must be reissued.
- 18. <u>Tank(s)</u> <u>Listed Will Hold Net Barrels to be Delivered by CALNEV</u>. Acknowledgement by DT representative that the tank(s) specified in Item 11 will hold the volume indicated in Item 16. If the batch will not fit, please notify CALNEV immediately prior to filling out this form.
- 19. <u>DT Representative needs to be present to make Manifold Switches</u>. Identifies whether the DT representative must be present to switch tanks.
- 20. <u>Special Instructions</u>. This item is used to alert CALNEV Operator and/or Controller to any special instructions. For example: "Call me when you start;" "Call me when you finish" or "Call me 15 minutes before the delivery", etc. Advising CALNEV that you need to float a roof at a reduced rate is <u>not</u> a special instruction; this type of instruction should be set-up well in advance.
- 21. <u>DT Representative Signature</u>. Signature of the DT representative completing Items 11-21 of this form.

Dated: November 2011